

School Chairs

The TherAdapt® School Chairs provide a simple seating solution for physically challenged children with mild to moderate involvement. It is available in nine sizes and will fit a variety of users and settings. This chair is an excellent choice when a standard classroom or play table chair does not provide sufficient support. The modular design of the chair allows it to be customized to the individual needs of the user without the look of a “therapeutic” chair.

The TherAdapt® School Chairs come standard with a 1" pelvic positioning belt, and feature a height and depth adjustable slip-resistant, padded seat. The chair can be ordered with either a flat seat or a 10° anterior angle seat to promote therapeutic positioning and aid in independent transfers. All of the **Wide** and **X-Wide School Chairs** are reinforced with a steel support bracket under the seat.




SCHOOL CHAIR X-WIDE



FIT RIGHT GUIDE

See center insert page L



School Chair

PRESCHOOL/PRIMARY

- SC-100-A School Chair with Angle Seat
- SC-100-F School Chair with Flat Seat
- SC-100AAS Replacement 10° Anterior Angle Seat
- SC-100AFS Replacement Flat Seat
- SC-100AR Armrests (pair)
- SC-100BK Butterfly Kit
- SC-100FPA-H Adjustable Footplate – High
Overall dimensions: 13 1/2"D x 16"W x 7"H
- SC-100FPA-L Adjustable Footplate – Low
Overall dimensions: 13 1/2"D x 16"W x 4"H
- SC-100MBK Mobile Base Kit
- SC-100POM Pommel
- SC-100SB Support Back
Trunk width (F): 5 1/2" - 8"
- SC-100T Wood Tray*
Tray dimensions: 24"W x 20"D
Tray cutout: 10"W x 7 1/2" - 10"D
- SC-103SP 3" high Side Pads (pair)*

- SCW-100-A School Chair Wide with Angle Seat
- SCW-100-F School Chair Wide with Flat Seat
- SCW-100AAS Repl. 10° Anterior Angle Seat Wide
- SCW-100AFS Replacement Flat Seat Wide
- SCW-100AR Armrests (pair)
- SCW-100BK Butterfly Kit
- SCW-100FPA-H Adjustable Footplate – High
Overall dimensions: 13 1/2"D x 18"W x 7"H
- SCW-100FPA-L Adjustable Footplate – Low
Overall dimensions: 13 1/2"D x 18"W x 4"H
- SCW-100MBK Mobile Base Kit
- SCW-100POM Pommel
- SCW-100SB Support Back
Trunk width (F): 6 - 9 1/2"
- SCW-100T Wood Tray*
Tray dimensions: 28"W x 24"D
Tray cutout: 12"W x 8 1/2" - 11"D
- SCW-103SP 3" high Side Pads (pair)*

- SCX-100-A School Chair X-Wide with Angle Seat
- SCX-100-F School Chair X-Wide with Flat Seat
- SCX-100AAS Repl. 10° Anterior Angle Seat X-Wide
- SCX-100AFS Replacement Flat Seat X-Wide
- SCX-100AR Armrests (pair)
- SCX-100BK Butterfly Kit
- SCX-100FPA-H Adjustable Footplate – High
Overall dimensions: 13 1/2"D x 21 1/2"W x 7"H
- SCX-100FPA-L Adjustable Footplate – Low
Overall dimensions: 13 1/2"D x 21 1/2"W x 4"H
- SCX-100MBK Mobile Base Kit
- SCX-100POM Pommel
- SCX-100SB Support Back
Trunk width (F): 7 1/2" - 13"
- SCX-100T Wood Tray*
Tray dimensions: 28"W x 26"D
Tray cutout: 15"W x 9 1/2" - 12"D
- SCX-103SP 3" high Side Pads (pair)*

School Chair**PRIMARY/INTERMEDIATE**

- SC-200-A School Chair with Angle Seat
 SC-200-F School Chair with Flat Seat
 SC-200AAS Replacement 10° Anterior Angle Seat
 SC-200AFS Replacement Flat Seat
 SC-200AR Armrests (pair)
 SC-200BK Butterfly Kit
 SC-200FPA-H Adjustable Footplate – High
 Overall dimensions: 13½"D x 18"W x 7"H
 SC-200FPA-L Adjustable Footplate – Low
 Overall dimensions: 13½"D x 18"W x 4"H
 SC-200MBK Mobile Base Kit
 SC-200POM Pommel
 SC-200SB Support Back
 Trunk width (F): 6" - 9½"
 SC-200T Wood Tray*
 Tray dimensions: 28"W x 24"D
 Tray cutout: 12"W x 8½" - 11"D
 SC-203SP 3" high Side Pads (pair)*

- SCW-200-A School Chair Wide with Angle Seat
 SCW-200-F School Chair Wide with Flat Seat
 SCW-200AAS Repl. 10° Anterior Angle Seat Wide
 SCW-200AFS Replacement Flat Seat Wide
 SCW-200AR Armrests (pair)
 SCW-200BK Butterfly Kit
 SCW-200FPA-H Adjustable Footplate – High
 Overall dimensions: 13½"D x 21½"W x 7"H
 SCW-200FPA-L Adjustable Footplate – Low
 Overall dimensions: 13½"D x 21½"W x 4"H
 SCW-200MBK Mobile Base Kit
 SCW-200POM Pommel
 SCW-200SB Support Back
 Trunk width (F): 7½" - 13"
 SCW-200T Wood Tray*
 Tray dimensions: 28"W x 26"D
 Tray cutout: 15"W x 9½" - 12"D
 SCW-203SP 3" high Side Pads (pair)*


- SCX-200-A School Chair X-Wide with Angle Seat
 SCX-200-F School Chair X-Wide with Flat Seat
 SCX-200AAS Repl. 10° Anterior Angle Seat X-Wide
 SCX-200AFS Replacement Flat Seat X-Wide
 SCX-200AR Armrests (pair)
 SCX-200BK Butterfly Kit
 SCX-200FPA-H Adjustable Footplate – High
 Overall dimensions: 13½"D x 24½"W x 7"H
 SCX-200FPA-L Adjustable Footplate-Low
 Overall dimensions: 13½"D x 24½"W x 4"H
 SCX-200MBK Mobile Base Kit
 SCX-200POM Pommel
 SCX-200SB Support Back
 Trunk width (F): 9" - 14½"
 SCX-200T Wood Tray*
 Tray dimensions: 30"W x 26"D
 Tray cutout: 17"W x 10" - 12½"D
 SCX-203SP 3" high Side Pads (pair)*

CONTINUED ON PAGE 4

**OPTIONS**

- A.** A depth adjustable quick release **Tray** is available to provide a large work surface and additional upper extremity support and positioning.
Note: Armrests must be ordered to attach **Tray**.
- B.** Adjustable height **Armrests** are available for upper extremity support and positioning. They provide a stable base for sit to stand activities as well. The armrests are slotted to accommodate the side pads. Armrest height (C1) for all sizes is 3½" - 11".
- C.** A **Butterfly Kit** is available for anterior chest support. It attaches to the padded back and can be adjusted for a customized fit.
- D.** The 10° **Anterior Angle Seat** assists in promoting an anterior pelvic tilt and better spinal alignment.
- E.** A height and depth **Adjustable Footplate Low** and **High** allow the School Chair to be set at the correct height for use at a non-adjustable table or desk, while providing proper lower extremity positioning. The **Adjustable Footplate-Low** (E1) sits close to the floor and allows for stand-pivot transfers. The **Adjustable Footplate-High** (E2) offers more height adjustability when the chair is in use at tall desks or tables. Both Footplates attach to the chair and come complete with four interchangeable straps with curved, side release buckles for ease in use. The angle can also be adjusted to accommodate plantar flexion contractures or foot deformities. The depth adjustment allows the knees to be positioned at a 90° angle.
- F.** A padded **Pommel** is available to provide medial thigh support for children who tend to "cross" or adduct their legs.
- G.** 3" or 4" high **Side Pads** are available to provide lateral pelvic stability or to narrow the width of the chair.
Note: Armrests must be ordered to attach **Side Pads**.
- H.** The **Support Back** was designed to promote a sense of midline positioning and stability. It comes complete with a back pad, adjustable height and width lateral trunk pads, and a chest strap. It can retrofit all previously purchased School Chairs by simply removing the standard padded back and replacing it with this new back.
- I.** An attached **Mobile Base Kit**, with locking caster wheels, is available to transport the School Chairs. It combines the height and depth adjustability of the Adjustable Footplate – Low, with the functionality of a mobile base. The addition of the Mobile Base Kit will raise the chair 3" off the floor.

School Chairs



Model #	Seat depth (B1)	Seat width (G)*	Seat ht. (A) to floor	Seat ht. (A) to FPA-H	Seat ht. (A) to FPA-L	Back ht. (D)	Overall width
SC-100	9" - 12 1/2"	6 1/2" - 11 1/2"	11 1/2" - 16"	4 1/2" - 14"	7 1/2" - 14"	12 1/2"	17"
SCW-100	9" - 12 1/2"	8 1/2" - 12 1/2"	11 1/2" - 16"	4 1/2" - 14"	7 1/2" - 14"	12 1/2"	20"
SCX-100	9" - 12 1/2"	12" - 17"	11 1/2" - 16"	4 1/2" - 14"	7 1/2" - 14"	12 1/2"	23"
SC-200	11 1/2" - 15"	8 1/2" - 13 1/2"	14 1/2" - 19"	7 1/2" - 16 1/2"	10 1/2" - 16 1/2"	14"	20"
SCW-200	11 1/2" - 15"	12" - 17"	14 1/2" - 19"	7 1/2" - 16 1/2"	10 1/2" - 16 1/2"	14"	23"
SCX-200	11 1/2" - 15"	15" - 20"	14 1/2" - 19"	7 1/2" - 16 1/2"	10 1/2" - 16 1/2"	14"	26"
SC-300	13 1/2" - 16 1/2"	12" - 17"	15 1/2" - 20"	8 1/2" - 18"	11 1/2" - 18"	16"	23"
SCW-300	13 1/2" - 16 1/2"	15" - 20"	15 1/2" - 20"	8 1/2" - 18"	11 1/2" - 18"	16"	26"
SCX-300	13 1/2" - 16 1/2"	18" - 23"	15 1/2" - 20"	8 1/2" - 18"	11 1/2" - 18"	16"	29"

*Narrowed seat width achieved by using Side Pads.

CONTINUED FROM PAGE 3

School Chair

INTERMEDIATE

- SC-300-A School Chair with Angle Seat
- SC-300-F School Chair with Flat Seat
- SC-300AAS Replacement 10° Anterior Angle Seat
- SC-300AFS Replacement Flat Seat
- SC-300AR Armrests (pair)
- SC-300BK Butterfly Kit
- SC-300FPA-H Adjustable Footplate – High
Overall dimensions: 13 1/2"D x 21 1/2"W x 7"H
- SC-300FPA-L Adjustable Footplate – Low
Overall dimensions: 13 1/2"D x 21 1/2"W x 4"H
- SC-300MBK Mobile Base Kit
- SC-300POM Pommel
- SC-300SB Support Back
Trunk width (F): 7 1/2" - 13"
- SC-300T Wood Tray*
Tray dimensions: 28"W x 26"D
Tray cutout: 15"W x 9 1/2" - 12"D
- SC-304SP 4" high Side Pads (pair)*

- SCW-300-A School Chair Wide with Angle Seat
- SCW-300-F School Chair Wide with Flat Seat
- SCW-300AAS Replacement 10° Anterior Angle Seat Wide
- SCW-300AFS Replacement Flat Seat Wide
- SCW-300AR Armrests (pair)
- SCW-300BK Butterfly Kit
- SCW-300FPA-H Adjustable Footplate – High
Overall dimensions: 13 1/2"D x 24 1/2"W x 7"H
- SCW-300FPA-L Adjustable Footplate – Low
Overall dimensions: 13 1/2"D x 24 1/2"W x 4"H
- SCW-300MBK Mobile Base Kit
- SCW-300POM Pommel
- SCW-300SB Support Back
Trunk width (F): 9" - 14 1/2"
- SCW-300T Wood Tray*
Tray dimensions: 30"W x 26"D
Tray cutout: 17"W x 10" - 12 1/2"D
- SCW-304SP 4" High Side Pads (pair)*

- SCX-300-A School Chair X-Wide with Angle Seat
- SCX-300-F School Chair X-Wide with Flat Seat
- SCX-300AAS Replacement 10° Anterior Angle Seat X-Wide
- SCX-300AFS Replacement Flat Seat X-Wide
- SCX-300AR Armrests (pair)
- SCX-300BK Butterfly Kit
- SCX-300FPA-H Adjustable Footplate – High
Overall dimensions: 13 1/2"D x 29"W x 7"H
- SCX-300FPA-L Adjustable Footplate – Low
Overall dimensions: 13 1/2"D x 29"W x 4"H
- SCX-300MBK Mobile Base Kit
- SCX-300POM Pommel
- SCX-300SB Support Back
Trunk width (F): 13" - 21"
- SCX-300T Wood Tray*
Tray dimensions: 30"W x 28"D
Tray cutout: 18"W x 11 1/2" - 14"D
- SCX-304SP 4" High Side Pads (pair)*

*Note: Armrests must be ordered to attach the Tray and/or Side Pads to the chair.