



EASyS seating system - Ergonomic Adjustment and Safety System

- Models
- Positioning supports & harnesses
- Safety & protection
- Accessory for J chassis



EASyS, ...

... the ergonomic adjustment and safety seating system for rehabilitation strollers, offers a triple safety package to disabled children, to users of rehabilitation strollers, to therapists, and to the specialised trade.

The EASyS seating system with BSS® (Balance Safety System) ensures that sitting, lying and transportation are safe, comfortable, and therapeutically correct.

Thomashilfen, the specialist for rehabilitation strollers, spent several years researching and testing solutions for the weak points and risk factors around the subjects sitting, lying and transportation, with a team of clinical professionals and engineers. The result is EASyS, the most innovative pediatric seating system, which can be used on several styles of indoor and outdoor frames.

EASyS with BSS® ensures a higher safety in the rehabilitation stroller.

For more information about EASyS, please visit our website at:
www.thomashilfen.com

Contents

page

MODELS

EASyS 1 + 2 seating system	3
J chassis with EASyS seat unit 1 + 2	4
Q hi/low base with EASyS seat unit 1 + 2	4
Standard underframe for indoor use with EASyS seat unit 1 + 2	5

POSITIONING SUPPORTS & HARNESSSES

Butterfly / chest harness	6
Seat waistcoat	6
H-belt	6
Lateral trunk supports, stiff	6
Lateral head supports, flexible with chest belt	7
Head support, flexible small + large + lateral	7
Lateral head supports	8
Lateral head supports, 45°	8
Abduction block	8
Soft pelvic harness	8
Grip rail	9
Foot straps	9

SAFETY & PROTECTION

Sleeping bag (padded and woven fur)	10
Sun and rain cover with leg blanket and pocket	10
Rain cover with leg blanket (transparent)	10
Rain cape	11
Umbrella	11
Frame padding	11
Calf strap	11
Tray, transparent	12
Accessory bag	12
Side padding, coloured	12
Fabric, per meter	12

ACCESSORY FOR J CHASSIS

Transit tie down system, J chassis	13
Seat suspension, J chassis	13
Tilt-in space lever at push bar, J chassis	13
Pneumatic wheels, J chassis	13



EASyS 1 seating system

Item code	6609/5
Seat depth	19 - 30 cm / 7.5 - 11.8"
Seat width	19 - 31 cm / 7.5 - 12.2"
Back height	40 - 65 cm / 15.7 - 25.6"
Lower leg length	17 - 30 cm / 6.7 - 11.8"
Size of hip guide (w x h)	12 x 23 cm / 4.7 x 9.1"
Knee angle (adjustable in 15° steps)	90° to 180°
Hip angle	90° to 180°
Foot angle	78° to 100°
Seat tilt-in-space (on J chassis)	-15° to + 45°
Size of foot rest (w x l)	28.5 x 18 cm / 11.2 x 7.1"
Overall dimensions (w x h x l)	38 x 98 x 64 cm / 15 x 38.6 x 25.2"
Folded dimensions (w x h x l)	38 x 40 x 72 cm / 15 x 15.7 x 28.3"
Carrying capacity	35 kg / 77.2 lb
Weight	7.7 kg / 17 lb
Material	upholstery: Trevira CS fabrics, 3-mesh- air-comfort-interlaced yarns (AGW) seat: aluminium tubular frame, plastic assembly units



EASyS 2 seating system

Item code	6709/5
Seat depth	27 - 38 cm / 10.6 - 15"
Seat width	25 - 36 cm / 9.8 - 14.2"
Back height	53 - 73 cm / 20.9 - 28.7"
Lower leg length	25 - 36 cm / 9.8 - 14.2"
Size of hip guide (w x h)	15 x 30 cm / 5.9 x 11.8"
Knee angle (adjustable in 15° steps)	90° to 180°
Hip angle	90° to 180°
Foot angle	78° to 100°
Seat tilt-in-space (on J chassis)	-10° to +40°
Size of foot rest (w x l)	33 x 21 cm / 12.9 x 8.2"
Overall dimensions (w x h x l)	45 x 116 x 76 cm / 17.7 x 45.7 x 29.9"
Folded dimensions (w x h x l)	45 x 42 x 84 cm / 17.7 x 16.5 x 33.1"
Carrying capacity	40 kg / 88.2 lb
Weight	9.4 kg / 20.7 lb
Material	upholstery: Trevira CS fabrics, 3-mesh-air-comfort-interlaced yarns (AGW) seat: aluminium tubular frame, plastic assembly units

Features

Seat unit with BSS® (Balance Safety System), physiological pivots for the hip- and knee joint, breathable seat and back upholstery with reflective safety-seams, fire retardant fabrics, padded pelvic belt, lateral body guides, height adjustable footrest, EASyS click-system for an easy seat installation / removal, continuously adjustable back height, hip angle, seat depth and seat width, easily accessible adjustments using an Allen key

MODELS



J chassis, swivel front wheels	size 1	size 2
Item code chassis and seat unit	6603/5 + 6609/5	6703/5 + 6709/5
Item code complete stroller	6601/5	6701/5
Seat tilt-in-space	-10° to +45°	-10° to +40°
Seat height	48 cm / 18.9"	54 cm / 21.3"
Overall dimensions (w x h x l)	60 x 104 x 100 cm 23.6 x 40.9 x 39.4"	70.5 x 111 x 111 cm 27.8 x 43.7 x 43.7"
Folded dimensions (w x h x l)	60 x 50 x 88 cm 23.6 x 19.7 x 34.6"	70.5 x 52 x 99 cm 27.8 x 20.5 x 39"
Push bar height	92 - 114 cm / 36.2 - 44.9"	92 - 120 cm / 36.2 - 47.2"
Wheel size swivel wheels (front)	7.5"	7.5"
Wheel size (rear)	10"	10"
Carrying capacity	35 kg / 77.2 lb	40 kg / 88.2 lb
Weight (including seat unit)	15.9 kg / 35.1 lb	18.6 kg / 41 lb
Material	aluminium tubular frame, powder-coated, rim: PP (polypropylene); tire equipment: composition rubber	

Features

Chassis: lightweight and stable chassis, foldable (compact folded dimensions), lockable seat suspension, continuously adjustable seat tilt-in-space, height adjustable push bar with biocompatible soft grip, foot brake, rim: PP (polypropylene); tire equipment: composition rubber, swivelling front wheels (with locking option), removable basket

Seat unit: see page 3, both front and rear facing seat



J chassis, fixed front wheels	size 1	size 2
Item code chassis and seat unit	6604/5 + 6609/5	6704/5 + 6709/5
Item code complete stroller	6602/5	6702/5
Seat tilt-in-space	-10° to +45°	-10° to +40°
Seat height	50 cm / 19.7"	54 cm / 21.3"
Overall dimensions (w x h x l)	64 x 104 x 100 cm 25.2 x 40.9 x 39.4"	68 x 111 x 105 cm 26.8 x 43.7 x 41.3"
Folded dimensions (w x h x l)	64 x 50 x 88 cm 25.2 x 19.7 x 34.6"	68 x 52 x 99 cm 26.8 x 20.5 x 39"
Push bar height	92 - 114 cm / 36.2 - 44.9"	92 - 120 cm / 36.2 - 47.2"
Wheel size	10"	10"
Carrying capacity	35 kg / 77.2 lb	40 kg / 88.2 lb
Weight (including seat unit)	16.7 kg / 36.8 lb	19.5 kg / 43 lb
Material	aluminium tubular frame, powder-coated, rim: PP (polypropylene); tire equipment: composition rubber	

Features

Chassis: lightweight and stable chassis, foldable (compact folded dimensions), lockable seat suspension, continuously adjustable seat tilt-in-space, height adjustable push bar with biocompatible soft grip, foot brake, rim: PP (polypropylene); tire equipment: composition rubber, fixed front wheels, removable basket

Seat unit: see page 3, both front and rear facing seat



	Q hi/low base	Q extra low	Q standard	Q special
Item code chassis and seat unit	6665/5 + 6609/5	6666/5 + 6609/5	6709/5	6664/5 + 6609/5 6709/5
Seat tilt-in-space	-28° to +2°	-28° to +2°	-28° to +2°	-28° to +2°
Seat height (including seat unit)	25 - 62 cm 9.8 - 24.4"	30 - 66 cm 11.8 - 26"	44 - 74 cm 17.3 - 29.1"	
Overall dimensions (w x h x l)	54 x 53.5 x 72.5 cm 21.3 x 21.1 x 28.5"	54 x 55.5 x 72.5 cm 21.3 x 21.9 x 28.5"	66.5 x 64 x 87 cm 26.2 x 25.2 x 34.3"	
Folded dimensions (w x h x l)	54 x 23 x 72.5 cm 21.3 x 9.1 x 28.5"	54 x 23 x 72.5 cm 21.3 x 9.1 x 28.5"	66.5 x 33.5 x 87 cm 26.2 x 13.2 x 34.3"	
Push bar height	accessory	accessory	80 - 102 cm / 31.5 x 40.2"	
Adapter height	15.5 - 53.5 cm 6.1 - 21.1"	20 - 55.5 cm 7.9 - 21.9"	33.5 - 64 cm 13.2 - 25.2"	
Wheel size swivel wheels (front)	75 mm / 3"	75 mm / 3"	6" x 1 3/4"	
Wheel size swivel wheels (rear)	75 mm / 3" (brake)	75 mm / 3" (brake)	12" x 1 1/2" (drum brake)	
Carrying capacity (seat unit)	35 kg / 77.2 lb (only size 1)	35 kg / 77.2 lb (size 1) 40 kg / 88.2 lb (size 2)	35 kg / 77.2 lb (size 1) 40 kg / 88.2 lb (size 2)	
Carrying capacity (chassis)	35 kg / 77.2 lb	50 kg / 110.2 lb	50 kg / 110.2 lb	
Weight (without seat unit)	11.5 kg / 25.4 lb	11.5 kg / 25.4 lb	18.7 kg / 41.2 lb	
Material	aluminium tubular frame, powder-coated, PU castors			

Features

Hi / low base: comfortable indoor base, easy height and seat tilt-in-space adjustment with gas spring (foot engaged), 4 swivelling castors (2 lockable), (optional: with push bar and pneumatic wheels)

Seat unit: see page 3



	Standard underframe for indoor use	size 1	size 2
Item code chassis and seat unit	6651/5 + 6609/5	6651/5 + 6709/5	6651/5 + 6709/5
Seat tilt-in-space	-15° to +35°	-15° to +35°	-15° to +35°
Seat height	39 - 58.5 cm 15.4 - 23"	39 - 58.5 cm 15.4 - 23"	39 - 58.5 cm 15.4 - 23"
Overall dimensions (w x h x l)	53.5 x (31.5 - 51) x 64 cm 21.1 x (12.4 - 20.1) x 25.2"	53.5 x (31.5 - 51) x 64 cm 21.1 x (12.4 - 20.1) x 25.2"	53.5 x (31.5 - 51) x 64 cm 21.1 x (12.4 - 20.1) x 25.2"
Wheel size swivel wheels (front / rear)	3" / 3"	3" / 3"	3" / 3"
Carrying capacity (Seat unit)	35 kg / 77.2 lb	40 kg / 88.2 lb	40 kg / 88.2 lb
Carrying capacity (Chassis)	40 kg / 88.2 lb	40 kg / 88.2 lb	40 kg / 88.2 lb
Weight (without seat unit)	7.2 kg / 15.9 lb	7.2 kg / 15.9 lb	7.2 kg / 15.9 lb
Material	aluminium tubular frame, powder-coated, PU castors		

Features

Underframe: lightweight and versatile indoor base, mechanical height and seat tilt-in-space adjustment, 4 swivelling castors (2 lockable)

Seat unit: see page 3

POSITIONING SUPPORTS & HARNESSSES



Butterfly/chest harness	EASyS 1	EASyS 2
Item code	6616/41 (small: S); 6617/41 (medium: M)	6717/41 (large: L); 6617/41 (medium:M)
Size of pad (w x h)	S: 11.5 x 12.5 cm; M: 10.5 x 13.5 cm S: 4.5 x 4.9"; M: 4.1 x 5.3"	L: 12 x 17 cm; M: 10.5 x 13.5 cm L: 4.7 x 6.7"; M: 4.1 x 5.3"
Total size of pad (w x h)	S: 18.5 x 30 cm; M: 24.5 x 37 cm S: 7.3 x 11.8"; M: 9.6 x 14.6"	L: 29 x 42.5 cm; M: 24.5 x 37 cm L: 11.4 x 16.7"; M: 9.6 x 14.6"
Thorax cutout (depth)	S: 15.5 cm; M: 14,5 cm S: 6.1"; M: 5.7"	L: 16.5 cm; M: 14.5 cm L: 6.5"; M: 5.7"
Belt length	S: 5 - 37 cm / 2 - 14.6" (thread eye to beginning of upholstery); M: 5 - 35 cm / 2 - 13.8" (thread eye to beginning of upholstery); L: 5 - 34 cm / 2 - 13.4" (thread eye to beginning of upholstery)	
Weight	S: 0.14 kg; M: 0.17 kg S: 0.31 lb / M: 0.37 lb	L: 0.18 kg; M: 0.17 kg L: 0.40 lb; M: 0.37 lb
Material	25 mm / 1.0" textile strap, plastic buckles, 100% Trevira CS upholstery with foam inlay	
Fixation	4 allen countersunk screws (M5)	



Seat waistcoat	EASyS 1	EASyS 2
Item code	6631/4 (small: S); 6632/4 (medium: M)	6731/4 (large: L); 6632/4 (medium: M)
Size of pad (w x d)	S: 30 x 30 cm; M: 36 x 37 cm S: 11.8 x 11.8"; M: 14.2 x 14.6"	L: 42 x 43 cm; M: 36 x 37 cm L: 16.5 x 16.9"; M: 14.2 x 14.6"
Belt length	S: 8 - 25 cm / 3.1 - 9.8" (thread eye to beginning of upholstery); M: 8 - 23 cm / 3.1 - 9.1" (thread eye to beginning of upholstery); L: 3 - 23 cm / 1.2 - 9.1" (thread eye to beginning of upholstery)	
Weight	S: 0.12 kg; M: 0.14 kg S: 0.26 lb; M: 0.31 lb	L: 0.18 kg; M: 0.14 kg L: 0.40 lb; M: 0.31 lb
Material	25 mm / 1.0" textile strap, plastic buckles, 100% Trevira CS upholstery (impregnated) with foam inlay	
Fixation	2 allen countersunk screws (M5)	



H-belt, padded	EASyS 1	EASyS 2
Item code	6629/4	6629/4
Size of shoulder pad (w x l)	5 x 15 cm / 2 x 5.9"	5 x 17 cm / 2 x 6.7"
Length of pelvic harness	15 - 102 cm / 5.9 - 40.2" (thread eye to thread eye)	15 - 102 cm / 5.9 - 40.2" (thread eye to thread eye)
Length of shoulder harness	15 - 60 cm / 5.9 - 23.6" (thread eye to buckle)	17 - 60 cm / 6.7 - 23.6" (thread eye to buckle)
Weight	0.12 kg / 0.26 lb	0.12 kg / 0.26 lb
Material	25 mm / 1.0" (shoulder harness) and 30 mm / 1.2" (pelvic belt) textile strap, plastic buckle, shoulder upholstery: 100% Trevira CS with foam inlay	
Fixation	4 allen countersunk screws (M5)	



Lateral trunk supports	EASyS 1	EASyS 2
Item code	6634/4	6734/4
Size (h x d)	13 x 13 cm / 5.1 x 5.1"	17 x 15 cm / 6.7 x 5.9"
Adjustment range (to each other)	17 - 27 cm / 6.7 - 10.6"	20 - 28 cm / 7.9 - 11.0"
Weight	0.36 kg / 0.79 lb	0.50 kg / 1.10 lb
Material	2 mm / 0.1" aluminium plates, upholsteries: 100% Trevira CS, foam / fleece padding	
Fixation	4 button-headed screws with wing nuts (M5); 2 grommets; 2 nuts, self-locking	

POSITIONING SUPPORTS & HARNESSSES



Lateral trunk supports with chest belt	EASyS 1	EASyS 2
Item code	6633/5	6633/5
Support surface (h x d)	9 x 19 cm / 3.5 x 7.5"	9 x 19 cm / 3.5 x 7.5"
Adjustment range (to each other)	17 - 27 cm / 6.7 - 10.6"	17 - 27 cm / 6.7 - 10.6"
Belt length	31.5 cm / 12.40"	31.5 cm / 12.40"
Weight	0.32 kg / 0.7 lb	0.32 kg / 0.7 lb
Material	plastic plate (polyethylene), 3-mesh-air-comfort-interlaced yarns (AGW) 100% Trevira CS	
Fixation	4 button head screws with knurled nuts (M5); 4 grommets	



Head support flexible, small	EASyS 1	EASyS 2
Item code	6625/5	6625/5
Support surface (w x h)	24 x 10 cm / 9.4 x 3.9"	24 x 10 cm / 9.4 x 3.9"
Height adjustment (starting from top edge of seat unit)	11 cm / 4.3"	11 cm / 4.3"
Depth adjustment	14 cm / 5.5"	14 cm / 5.5"
Weight	1.28 kg / 2.8 lb	1.28 kg / 2.8 lb
Material	PU (Polyurethane) foam piece	
Fixation	4 allen screws	



Head support flexible, large	EASyS 1	EASyS 2
Item code	6626/4	6626/4
Support surface (w x h)	28 x 14 cm / 11 x 5.5"	28 x 14 cm / 11 x 5.5"
Height adjustment (starting from top edge of seat unit)	11 cm / 4.3"	11 cm / 4.3"
Depth adjustment	14 cm / 5.5"	14 cm / 5.5"
Weight	1.26 kg / 2.8 lb	1.26 kg / 2.8 lb
Material	PU (Polyurethane) foam piece	
Fixation	4 allen screws	



Head support flexible, lateral	EASyS 1	EASyS 2
Item code	6627/4	6627/4
Support surface (w x h)	40 x 15 cm / 15.7 x 5.9"	40 x 15 cm / 15.7 x 5.9"
Height adjustment (starting from top edge of seat unit)	11 cm / 4.3"	11 cm / 4.3"
Depth adjustment	14 cm / 5.5"	14 cm / 5.5"
Weight	1.54 kg / 3.4 lb	1.54 kg / 3.4 lb
Material	PU (Polyurethane) foam piece	
Fixation	4 allen screws	

POSITIONING SUPPORTS & HARNESSSES



Lateral head supports	EASyS 1	EASyS 2
Item code	6624/4	6724/4
Size (h x d)	13 x 11 cm / 5.1 x 4.3"	15 x 14 cm / 5.9 x 5.5"
Adjustment range (to each other)	17 - 27 cm / 6.7 - 10.6"	20 - 28 cm / 7.9 - 11.0"
Weight	0.28 kg / 0.62 lb	0.36 kg / 0.79 lb
Material	2 mm / 0.1" aluminium plates, upholstery: 100% Trevira CS, foam / fleece padding	
Fixation	4 button-headed screws with wing nuts (M5); 2 grommets; 2 nuts, self-locking	



Lateral head supports, 45°	EASyS 1	EASyS 2
Item code	6623/4	6623/4
Size (h x d)	10 x 12 cm / 3.9 x 4.7"	10 x 12 cm / 3.9 x 4.7"
Adjustment range (to each other)	14 - 22 cm / 5.5 - 8.7"	14 - 22 cm / 5.5 - 8.7"
Weight	0.20 kg / 0.44 lb	0.20 kg / 0.44 lb
Material	plastic plate (polyethylene), 3-mesh-air-comfort-interlaced yarns (AGW) 100% Trevira CS	
Fixation	4 button head screws with knurled nuts (M5); 4 grommets	



Abduction block	EASyS 1	EASyS 2
Item code	6620/4	6720/4
Size (w x h x l)	6 x 9 x 10 cm / 2.4 x 3.5 x 3.9"	7 x 10.5 x 11 cm / 2.8 x 4.1 x 4.3"
Weight	0.26 kg / 0.57 lb	0.36 kg / 0.79 lb
Material	wooden core with foam coating, steel angles, 100% Trevira CS upholstery	
Fixation	1 hand screw (M6)	



Soft pelvic harness	EASyS 1	EASyS 2
Item code	6614/4	6714/4
Size of pad (w x h)	24 x 24 cm / 9.4 x 9.4"	26 x 29 cm / 10.2 x 11.4"
Belt length	3 - 28 cm / 1.2 - 11.0"	3 - 32 cm / 1.2 - 12.6"
	(thread eye to beginning of upholstery)	
Weight	0.12 kg / 0.26 lb	0.16 kg / 0.35 lb
Material	20 mm / 0.8" and 25 mm / 1.0" textile strap, plastic buckles, 100% Trevira CS upholstery with foam inlay	
Fixation	2 allen countersunk screws (M5) 2 knurled nuts	

POSITIONING SUPPORTS & HARNESSSES



Grip rail	EASyS 1	EASyS 2
Item code	6621/4	6721/4
Height to seating surface	11.5 / 14 / 16.5 cm 4.5 / 5.5 / 6.5"	17.5 / 19 / 22 cm 6.9 / 7.5 / 8,66"
Width (inner dimension)	34 cm / 13.4"	38 cm / 15"
Upholstery (Ø x l)	3.5 x 62 cm / 1.4 x 24.4"	3.5 x 62 cm / 1.4 x 24.4"
Weight	0.36 kg / 0.79 lb	0.37 kg / 0.82 lb
Material	steel rail with 100% Trevira CS fabric upholstery and fleece filling	
Fixation	2 locking pins	



Foot straps	EASyS 1	EASyS 2
Item code	6648/4	6648/4
Belt length	86 cm / 33,85"	86 cm / 33,85"
Weight	0.04 kg / 0.09 lb	0.04 kg / 0.09 lb
Material	20 mm / 0.8" textile strap	
Fixation	plastic buckle	

SAFETY & PROTECTION



Sleeping bag, padded	EASyS 1	EASyS 2
Item code	6619/4	6719/4
Bottom part of leg blanket (w x l)	35 x (68 - 80) cm 13.8 x (26.8 - 31.5)"	40 x (90 - 104) cm 15.7 x (35.4 - 40.9)"
Leg blanket (lower leg length)	31 cm / 12.2"	43 cm / 16.9"
Upper part back rest (w x l)	37 x 64 cm / 14.6 x 25.2"	40 x 78 cm / 15.7 x 30.7"
Weight	0.82 kg / 1.81 lb	1.26 kg / 2.78 lb
Material	100% Trevira CS (impregnated) with fleece filling	
Fixation	velcro, textile strips, buttons	

Sleeping bag, woven fur	EASyS 1	EASyS 2
Artikel-Nr.	6618/4	6718/4
Bottom part of leg blanket (w x l)	35 x (69 - 78) cm 13.8 x (27.2 - 30.7)"	40 x (90 - 100) cm 15.7 x (35.4 - 39.4)"
Leg blanket (lower leg length)	38 cm / 15"	45 cm / 17.7"
Upper part back rest (w x l)	37 x 64 cm / 14.6 x 25.2"	40 x 78 cm / 15.7 x 30.7"
Weight	1.22 kg / 2.69 lb	1.48 kg / 3.26 lb
Material	100% Trevira CS (impregnated) with Polartec	
Fixation	velcro, textile strips, buttons	



Sun and rain cover with leg blanket and pocket	EASyS 1	EASyS 2
Item code	6637/4	6737/4
Hood (w x h)	42 x 48 cm / 16.5 x 18.9" (inner dimensions)	43 x 51 cm / 16.9 x 20.1" (inner dimensions)
Hood pocket (w x h x d)	24 x 28 x 5 cm / 9.4 x 11 x 2"	24 x 28 x 5 cm / 9.4 x 11 x 2"
Size leg blanket (w x l)	40 x 87 cm / 15.7 x 34.3"	43 x 100 cm / 16.9 x 39.4"
Weight	1.84 kg / 4.06 lb	1.92 kg / 4.23 lb
Material	hood: steel linkage with plastic grid joint, 100% Trevira CS (impregnated) with fleece filling, pocket and clear-view window leg blanket: 100% Trevira CS (impregnated)	
Fixation	hood: 2 plastic pins; leg blanket: 8 buttons	



Rain cover with leg blanket, transparent	EASyS 1	EASyS 2
Item code	6638/4	6738/4
Hood (w x h)	42 x 48 cm / 16.5 x 18.9" (inner dimensions)	43 x 51 cm / 16.9 x 20.1" (inner dimensions)
Hood pocket (w x h x d)	24 x 28 x 5 cm / 9.4 x 11 x 2"	24 x 28 x 5 cm / 9.4 x 11 x 2"
Size leg blanket (w x l)	40 x 87 cm / 15.7 x 34.3"	43 x 100 cm / 16.9 x 39.4"
Weight	1.84 kg / 4.06 lb	1.92 kg / 4.23 lb
Material	PVC-foil (grey tint)	
Fixation	hood: 2 plastic pins; leg blanket: 8 buttons	

SAFETY & PROTECTION



Rain cape	EASyS 1	EASyS 2
Item code	6340/4	6540/4
Length of blanket (without hood)	125 cm / 49.2"	140 cm / 55.1"
Weight	0.36 kg / 0.79 lb	0.46 kg / 1.01 lb
Material	hydrophobic synthetic fibre	
Fixation	elastic	



Umbrella	EASyS 1	EASyS 2
Item code	6643/4	6643/4
Diameter Ø	65 cm / 25.6"	65 cm / 25.6"
Height	75 cm / 29.5"	75 cm / 29.5"
Weight	0.48 kg / 1.06 lb	0.48 kg / 1.06 lb
Material	wire linkage with 2 bendable elements and 100% Trevira CS covering	
Fixation	screw clamp	



Frame padding	EASyS 1	EASyS 2
Item code	6622/4	6622/4
Outer dimensions (w x h)	(10 - 15) x 45 cm (3.9 - 5.9) x 17.7"	(10 - 15) x 45 cm (3.9 - 5.9) x 17.7"
Weight	0.24 kg / 0.53 lb	0.24 kg / 0.53 lb
Material	100% Trevira CS with foam filling	
Fixation	velcro	



Calf strap	EASyS 1	EASyS 2
Item code	6635/4	standard
Size (w x h)	29.5 x 8 cm / 11.6 x 3.1"	
Weight	0.10 kg / 0.22 lb	
Material	100 % Trevira CS with foam filling	
Fixation	plastic clamp	

SAFETY & PROTECTION



Tray, transparent	EASyS 1	EASyS 2
Item code	6628/4	6728/4
Size (w x l)	56 x 33.2 cm / 22.0 x 13,0"	60 x 36.2cm / 23.6 x 14,2"
Height to seat surface	15 - 22 cm / 5.9 - 8.7"	15 - 22 cm / 5.9 - 8.7"
Inner edge height	2.5 cm / 1"	2.5 cm / 1"
Angle adjustment	ca. 27° / approx. 27°	ca. 27° / approx. 27°
Depth adjustment range	16 cm / 6.3"	19 cm / 7.5"
Cut-out (w x d)	41 x 14 cm / 16.1 x 5.5"	45.5 x 17.5 cm / 17.9 x 6.9"
Material thickness	8 mm / 0.3"	8 mm / 0.3"
Colour try plate	transparent / uncoloured	transparent / uncoloured
Weight	3.2 kg / 7.1 lb	3.45 kg / 7.6 lb
Material	2 x 4mm Polycarbonat; metal hardware st. 37 ((S235)JR), galvanised	
Fixation	2 locking pins	

picture not included in delivery



Accessory bag	EASyS 1	EASyS 2
Item code	6639/4	6639/4
Size (w x h x d)	30 x 24 x 7 cm / 11.8 x 9.4 x 2.8"	30 x 24 x 7 cm / 11.8 x 9.4 x 2.8"
Number of pockets	4 (2x small; 2x large)	4 (2x small; 2x large)
Pocket size small (w x h)	13 x 13 cm / 5.1 x 5.1"	13 x 13 cm / 5.1 x 5.1"
Pocket size large (w x h)	30 x 24 cm / 11.8 x 9.4"	30 x 24 cm / 11.8 x 9.4"
Weight	0.26 kg / 0.57 lb	0.26 kg / 0.57 lb
Material	nylon fabric (soil- and water-resisting), spacing interlaced yarns	
Fixation	screw connection at the upper backrest bar, detachable by zipper	



Side padding, coloured	EASyS 1	EASyS 2
Item code blue	6645/45	6745/45
Item code yellow	6645/43	6745/43
Item code green	6645/42	6745/42
Item code orange	6645/44	6745/44
Item code red	6645/41	6745/41
Size (w x h)	(4 - 17)x37 cm / (1.6 - 6.7)x14.6"	(7 - 19) x40 cm / (2.8 - 7.5) x15.7"
Weight	0.20 kg / 0.44 lb	0.24 kg / 0.53 lb
Material	Nikki velours, Trevira CS (only blue, 6645/45 + 6745/45)	
Fixation	velcro, push buttons	velcro, push buttons



uni schwarz Dekor AGW

Fabric, per meter	EASyS uni black	EASyS decor	EASyS AGW
Item code	6652/4	6653/4	6658/4
Weight	200 gr/m ² / 0.44 lb/m ²	200 gr/m ² / 0.44 lb/m ²	380 gr/m ² / 0.84 lb/m ²
Material	100 % Trevira CS	100 % Trevira CS	Trevira CS
Flammability	flame resistant; FMVSS 302 / DIN 75200		

ACCESSORY FOR J CHASSIS



Transit tie down system J chassis 1 swivel front wheels J chassis 2 swivel front wheels

Item code	970066840	970067840
Norm	ISO 7176/19 and ANSI/RESNA WC/vol. 1 - Section 19 6/22/99 Draft	
Material	steel	
Fixation	firmly attached to chassis	
Hint	restraint system not included in delivery For further information please call: +49 (0) 47 61 / 8 86-68 or -63	



Seat suspension J chassis green (extra soft) yellow (extra stiff) red (standard)

Item code	6641/4	6642/4	standard
Spring rate	11 N/mm	17 N/mm	14 N/mm
Height	5.2 cm / 2.0"	5.2 cm / 2.0"	5.2 cm / 2.0"
Weight	16 gr / 0.04 lb	18 gr / 0.04 lb	17 gr / 0.04 lb
Material	steel		



Tilt-in space lever at push bar J chassis 1 J chassis 2

Item code	6749/4	6749/4
Material	plastic grip with bowden cable	
Fixation	screw connection at the push bar	
Hint	available for J chassis constructed from Dec. 06 on	



Pneumatic wheels J chassis 1 J chassis 2

Item code	6647/4	6647/4
Wheel size swivel wheels (front)	7 x 1 3/4"	7 x 1 3/4"
Wheel size (rear)	10 x 1 1/8"	10 x 1 1/8"
Weight	2.42 kg / 5.34 lb	2.42 kg / 5.34 lb
Material	rubber, plastic	
Fixation	front wheel: allen key; rear wheel: nut	



Member of the International
Support Association for the
Rehabilitation of Children and Youths e.V.



Walkmühlenstraße 1 · D - 27432 Bremervörde
Phone: +49 (0) 47 61 / 8 86-68 or -63 · Fax: +49 (0) 47 61 / 8 86-19
E-mail: info@thomashilfen.de · www.thomashilfen.com